

# CONTENTS

## Preface

## Notation

<b>1. Introduction</b>	<b>Page 1</b>
<b>1.1</b> What we are trying to do here	
<b>1.2</b> Geostatistics in the real world	
<b>1.3</b> Notes for teachers	
<b>1.4</b> Cautionary note	
<b>1.5</b> Data sets	
<b>2. Coal</b>	<b>Page 13</b>
<b>2.1</b> Relationship between variables	
<b>2.1.1</b> Correlation coefficient	
<b>2.1.2</b> Predicting one variable from another	
<b>2.1.3</b> Calorific Value versus Ash Content	
<b>2.1.4</b> Calorific Value versus Sulphur Content	
<b>2.1.5</b> Other combinations of variables	
<b>2.1.6</b> Relationship involving more than two variables	
<b>2.1.7</b> Predicting Sulphur from Calorific Value and Ash Content	
<b>2.2</b> Calorific values	
<b>2.2.1</b> Statistical analysis	
<b>2.2.2</b> Inverse distance interpolation	
<b>2.2.3</b> Semi-variogram calculation and modelling	
<b>2.2.4</b> Estimation	
<b>2.2.5</b> In the real world	
<b>2.3</b> Sulphur content	
<b>2.3.1</b> Semi-variogram calculation and modelling	
<b>2.3.2</b> Cross validation	
<b>2.3.3</b> Kriging of Sulphur values	

### **3. GASA**

**Page 55**

**3.1 Statistical analysis**

**3.1.1 reef widths**

**3.1.2 Sichel's  $t$  estimation**

**3.1.3 Estimating the mean of a lognormal population**

**3.1.4 gold values**

**3.1.5 The three parameter lognormal distribution**

**3.1.6 More complex distribution and mixtures**

**3.2 Two variables or One variable?**

**3.3 Spatial estimation**

**3.4 Geostatistical methods**

**3.4.1 Using similar information from another source**

**3.4.2 Realistic grade tonnage curves for production**

### **4. Geevor**

**Page 87**

**4.1 Summary of the Geevor study**

**4.2 Statistical analysis**

**4.2.1 thickness of vein**

**4.2.2 tin grades**

**4.2.3 One variable or Two?**

**4.3 Geostatistics**

**4.3.1 Semi-variograms**

**4.3.2 Nugget effect or Sampling error?**

**4.3.3 Summary of nugget effect study**

**4.3.4 Cross validation**

**4.3.5 Kriging a map – point estimation**

**4.3.6 The lognormal kriging transformation**

**4.3.7 The lognormal shortcut**

**5. Organics** Page 107

- 5.1 Statistical study**
  - 5.1.1 Possible outlier**
- 5.2 Inverse distance interpolation**
- 5.3 Semi-variogram calculation and modelling**
  - 5.3.1 trend surface analysis**
  - 5.3.2 studying the residuals from the trend surface**
  - 5.3.3 Summary of semi-variogram calculation and modelling**
- 5.4 Cross validation**
  - 5.4.1 other things to do with cross validation statistics**
- 5.5 Kriging**

**6. Scallops** Page 123

- 6.1 Summary statistics**
  - 6.1.1 Fitting a statistical distribution: the Normal distribution**
  - 6.1.2 Fitting a distribution: the lognormal model**
  - 6.1.3 Estimation of the mean of the study area**
  - 6.1.4 Confidence levels on the mean**
- 6.2 Inverse distance interpolation**
- 6.3 Lognormal kriging**
  - 6.3.1 kriging with logarithms**
  - 6.3.2 Worked example for lognormal kriging**
  - 6.3.3 cross validation**
  - 6.3.4 mapping with lognormal kriging**
- 6.4 Rank uniform kriging**

**7. Sunshine Mine** Page 153

- 7.1 Silver grade**
  - 7.1.1 Estimation of the mean of the study area**
  - 7.1.2 Confidence limits on the mean**
  - 7.1.3 Grade tonnage curves**
- 7.2 Semi-variogram calculation and modelling**
  - 7.2.1 Cross validation of semi-variogram model**
- 7.3 Mapping the silver values**
  - 7.3.1 kriging values over stoping panels**

**8. Velvetleaf** **Page 169**

**8.1** Finding the appropriate distance function – the semi-variogram

**8.1.1** Cross validate the semi-variogram model

**8.2** A more realistic(?) analysis

**8.2.1** Indicator transform at 1 (well 0.5!)

**8.2.2** Indicator transform at 40

**8.2.3** Indicator at 40 given that weeds are present

**9. Wolfcamp** **Page 189**

**9.1** The data

**9.2** Summary of chapter

**9.3** Descriptive statistics

**9.4** Spatial data

**9.5** Calculating the semi-variogram

**9.6** Polynomial trend surface analysis

**9.6.1** Recalculating the semi-variogram

**9.6.2** Universal kriging – the process and the impact of the nugget effect

**9.7** Cross Validation

**9.8** Kriging

**9.9** kriging over an area

**10. Brooms Barn** **Page 217**

**10.1** Potassium (K) values

**10.1.1** Semi-variogram calculation and interpretation for K values

**10.1.2** Fitting and testing a semi-variogram model

**10.1.3** judging how well the model fits the data

**10.1.4** cross validation

**10.1.5** when is an outlier not an outlier?

**10.1.6** maybe these outliers are actually outliers

**10.2** Kriging maps for K values

**10.3** One more time: K without the outliers

**10.3.1** cross validation for  $K < 50$

**10.3.2** kriging the swathes

**10.4 A different variable – pH**

**10.4.1 pause to review the data again**

**10.4.2 mapping pH without knowing the field boundaries**

**10.4.3 Combining the components for a map of pH**

**10.4.4 What if we just kriged it normally?**

**11. Old Brenda**

**Page 253**

**11.1 Statistical analysis of the copper values**

**11.2 Semi-variogram calculation and modelling**

**11.3 Cross validation**

**11.4 Mapping copper values level by level**

**11.5 Block kriging for mine planning**

**11.6 Trend Surface Analysis**

**12. Bibliography**

**Page 265**

**Tables**

**Page 269**

**Data Sets**

**Page 313**